



Compact Colour LED All-in-One Printer

Compact Design, Expertly Engineered

MFC-L3755CDW











www.brother.com.au

Compact Colour LED All-in-One Printer

Combining outstanding performance with fast print speeds, minimal maintenance, and long-lasting supplies.

The compact, whisper-quiet MFC-L3755CDW has been expertly engineered to feature the latest industry-standard security. Be confident that this colour LED will meet the needs of your home or small office with ease.

MFC-L3755CDW



Key features:

- Fast print speeds of up to 26 pages per minute
- Large paper capacity of 250 sheets
- Automatic 2-sided (duplex) printing
- 50-sheet Auto Document Feeder (ADF)
- Easy to use 8.8cm colour LCD touchscreen
- Gigabit ethernet, 2.4GHz/5GHz WiFi and USB 2.0 connectivity
- Print or scan directly from desktop or mobile app
- 512MB internal memory
- Up to 1,000 pages black and 1,000 colour pages in-box toners
- High-yield replacement toners available, up to 3,000 black and 2,300 colour pages



Compact and expertly engineered

Designed by experts, our most compact colour multi-function printer delivers high-quality outputs every time, allowing you to make the most of your home and small office space. Every component has been optimised to reduce the overall size of the device without compromising on performance. With easy paper access, this device has been developed to meet the needs of your home and small office.



Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to protect your data. The MFC-L3755CDW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



Quiet without compromise

With its streamlined design, the MFC-L3755CDW is engineered to print quietly while delivering speeds up to 25% faster than the previous generation, so you can print continuously and without distraction.



Designed to go the distance

Built to perform for longer, the MFC-L3755CDW has been designed with you in mind. Made from robust and hard-wearing materials and supported by outstanding service as standard, Brother's award-winning reliability allows you to deliver uncompromised performance at all times.



Brother at your side support

Wherever you are in Australia, Brother offers free product support for the lifetime of your product.

General		Fax Maday Oracid	00 000
Engine	Colour LED	Modem Speed	33,600bps (Fax)
Carton Contents	Printer, Quick Setup Guide, Power Cord, CMYK Toner	2 Sided Fax	Receive Only
	Standard Yield (TN258C/TN258M/TN258Y/TN258BK) Up to 1,000 pages ¹¹ Belt Unit: Up to 60,000 pages	ITU-T Group compatibility	Super G3
	(3-page per job)(BU229CL) Waste Toner Box : Up to	Telstra Duet Compatible	Yes
	50,000 pages (WT229CL) Drum Unit: Up to 20,000	Speed Dials	300 locations
	pages (1-page per job)(DR258CL)	·	
		ECM	Yes
Display		Out of Paper Reception	Up to 500 Pages (ITU-T Test Chart)
LCD Display	8.8cm Colour LCD (7.3 x 6.9cm Touchscreen)	Broadcasting	Up to 350 locations
. ,	, , , , , , , , , , , , , , , , , , ,	Automatic Reduction	Yes
Shortcuts	48	Fax Forwarding	To Fax number or Email Address
		•	
Printer		PC Fax	Send/Receive from Windows Send only from MAC / Linux
Standard Memory	512MB		(Network / USB)
Print Speed ⁹	Up to 26 ppm Mono / Up to 26 ppm Colour	Internet Fax	Yes - T37 protocol
2 Sided Print Speed ⁹	Up to 10/10ipm or 5/5ppm (Mono/Colour, based on ISO/IEC 24734)	monot ax	100 TOT PROCESS
2 Sided Print	Yes (Automatic)		
Emulation	PCL6, BR-Script3		
Printer Resolution	600 x 600 dpi, 2400 dpi (2400 x 600) quality	Digital Scanner	
First Print Out Time ¹⁰	Less than 13.5 secs Mono/Colour (From Ready mode	Scanner Colour/Mono	Colour
inst tillit out tillie	and standard tray) Less than 30 secs Mono/Colour	Scanner Colour Depth	48 bit input / 24 bit output colour
	(From Sleep mode and standard tray)	Scanning Technology	CIS
Warm Up Time	Less than 24 sec from Sleep, Less than 28 sec from Power On	Scanner Speed ¹²	Simplex: Max 1.84/2.39 Sec - 27/21 ipm (Mono/Colou@200dpi A4)
Resident Barcodes	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E,	Scanner Resolution (Optical)	From Glass: Up to 1200 x 1200 dpi From ADF: Up to 600 x 600 dpi
	Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93,	Scanner Resolution (Interpolated)	Up to 19,200 x 19,200 dpi
	GS1Databar, MSI	Scanning Area	Flatbed: 210(W) x 291(L)mm
Resident Fonts	PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes	Scanner Grey Scale	256 levels
	PS: 66 scalable fonts	Scan to Email Client	Yes
Quiet Mode	A mode to reduce the printing noise by reducing the print speed	Scan to Email Server	Yes
Recommended Monthly Print Volume8	300 to 3,000 pages	Scan to OCR	Yes
Toolin Tolland Montally 1 line volume	300 to 3,000 pages	Scan to Image	Yes
Donor Hondlings		Scan to File	Yes
Paper Handling ⁶		Scan to FTP	FTP
Standard Paper Capacity	Up to 250 Sheets	Scan to Sharepoint	On premise Server Via PaperPort, Office 365 via Web
Envelopes Input	Up to 1 envelope (Manual Feed Slot only) output via rear		Connect
Output Paper Capacity	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path)	Scan to Network Folder	Windows only
ADF	Up to 50 sheets	Scan To Cloud	Yes - See Web Connect
Media Weights Paper Tray	60 - 163 gsm	Network Scan Scanner OS Compatibility	Windows/Mac
Media Weights Manual Feed Slot	60 - 163 gsm	Scarner OS Compatibility	Windows 11, Windows 10 (32&64bit) macOS 11-14 ³
Media Weights ADF	60 - 105 gsm		Linux SANE
Media Weights Duplex	60 - 105 gsm	Twain Compliant	Windows: TWAIN Windows 11 or WIA for Windows1
Media Size Paper Tray	A4, Letter, Legal, Mexico Legal, India Legal, Executive,		Linux SANE
	A5, A5 Long Edge, A6, B5(JIS), B5(ISO), B6(JIS), A4 Short(270mm), Folio, 16K(195x270mm)	Software	
Media Size Manual Feed Slot	Width 76.2 to 216 mm, Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch	Printer OS Compatibility	Windows 11, Windows 10 (32&64bit), Windows
Media Size ADF	Width 105 to 215.9 mm, Length 147.3 to 355.6 mm		Server 2022, Windows Server 2019, Windows Serve
Media Size Duplex	A4		2016, Windows Server 2012 R2 (64-bit), Windows Server 2012 (64-bit)
Vedia Size Scanner Glass	Up to A4/LTR		macOS 11 - 14 ³
Media Types Paper Tray	Plain Paper, Thin Paper, Thick Paper, Recycled Paper		Linux RPM, DEB
Media Types Manual Feed Slot	Plain Paper, Thin Paper, Thick Paper, Recycled Paper,	N-up Printing	Windows/Mac
7,	Bond, Label, Envelope, Envelope Thin, Envelope Thick,	Poster Printing	Windows only
	Glossy Paper	Header and Footer Printing	Windows only
Media Types Duplex	Plain Paper, Thin Paper, Recycled Paper	· ·	Windows only
Media Types ADF	Plain Paper, Thin Paper, Recycled Paper	Watermark Printing	· ·
		Booklet Printing	Windows only
Digital Copier	Ha to 26 apm Mana / Ha to 26 apm Colour	Brother Solutions Interface	Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build
Copier Speed First Copy Out Time	Up to 26 cpm Mono / Up to 26 cpm Colour Less than 14.5/15.5 secs (Mono/Colour) from Ready		custom solutions for and integrate with Brother Devic
First Copy Out Time	mode, Less than 30/30 secs (Mono/Colour) from Sleep	Light Solutions	ThinPrint Client, Barcode Print+, Secure Print+,
	mode		Request Help, Order Supplies, Remote Panel, Barcoo Utility, CustomUI
2 Sided Copy	Simplex Scan to Duplex Print	Mass Doplayment Tasl	
	600 x 600 dpi	Mass Deployment Tool	Windows only
Copier Resolution		Driver Deployment Wizard ¹	Windows only
Copier Resolution Reduction-Enlargement Ratio	25 - 400 percent in 1 percent increments		TTI I GOTTO OTTI
•	25 - 400 percent in 1 percent increments 2 in 1 & 4 in 1 (A4/LTR Mono/Colour)		vindone diny
Reduction-Enlargement Ratio	· ·		

Connectivity		Mobile/Web Printing	
Interface	Hi-Speed USB 2.0, 10Base-T/100Base-TX Ethernet and IEEE 802.11 b/g/n Wireless	Mobile Connect ¹	Use Brother Mobile Connect to print, scan, & copy, as well as manage your machine & customise its features.
USB Interface	Hi-Speed USB 2.0	iPrint&Scan ¹	Windows/Mac
Wired Interface	10Base-T/100Base-TX/1000BaseT Ethernet	Universal Print ⁷	Yes
Wireless Interface	2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n	Web Connect ⁷	Scan To/Download and Print from: Google Drive, Dropbox, OneDrive, Box, OneNote
			Scan To: Evernote Print from: Creative Centre
Wi-Fi Direct	Yes	AirPrint	Print most common file types from any Apple AirPrint enabled application
Networking Wireless Mode	2.4GHz IEEE 802.11/b/g/n (Infrastructure Mode mode),	Mopria ¹	Print most common file types from Mopria™ supported Android devices
	5GHz IEEE 802.11/a/n (Infrastructure Mode mode)	Google ChromeOS	Print and scan from your Chromebook with most printers that connect to Wi-Fi or a wired network
Wireless Setup Support Utility	Wi-Fi Protected Setup (WPS)	Android Print Service Plugin ¹	Print directly from your Android devices (Android 5.0 or
Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, POP3, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server,	Brother Apps	later), to your Brother printer through a Wi-Fi or Wired network Office Doc Creator, Easy Scan to Email, Fax Forward to Cloud / Email, Enlarge Text Copy, Scan to Mobile
	ICMP, Web Services (Print/Scan), SNTP Client, LDAP,	Consumables	
	IMAP4, Syslog	Consumables ¹¹	Belt Unit: Up to 60,000 pages (3-page per job)
Network Protocols IPV6	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, POP3, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, LDAP, Web Services (Print/Scan), IMAP4, Syslog	Inbox Consumables ¹¹	(BU229CL) Waste Toner Box: Up to 50,000 pages (WT229CL) Drum Unit: Up to 20,000 pages (1-page per job) (DR258CL) CMYK Toner Standard Yield (TN258C/TN258M/ TN258Y/TN258BK) Up to 1,000 pages
Email Alerts	E-mail Notification and E-mail Reports		Belt Unit: Up to 60,000 pages (3-page per job) (BU229CL) Waste Toner Box: Up to 50,000 pages (WT229CL)
Network Management Utilit	ies		Drum Unit: Up to 20,000 pages (1-page per job) (DR258CL)
Network Management	Windows: BRAdmin Light, Web Base Management, BRAdmin Professional, Network Remote Setup	Standard Yield Toner ¹¹	CMYK Toner Standard Yield (TN258C/TN258M/ TN258Y/TN258BK) Up to 1,000 pages
	Mac: Web Base Management, Network Remote Setup Linux: Web Base Management	High Yield Toner ¹¹	Black Toner High Yield (TN258XLBK) Up to 3,000 pages
Web Based Management	Yes		Colour Toner High Yield (TN258XLC/TN258XLM/ TN258XLY) Up to 2,300 pages
BRAdmin Professional	Windows only		
		Weights & Measurements	
Security		Size	410(W) x 444(D) x 401(H)mm
Wired Security	eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP), SNMP v3 Authentication Protocol: 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos,	Weight	16 Kg without consumables 21.6 Kg with consumables
W	IPsec	Environment	
Wireless Security	eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP), SNMP v3 Authentication Protocol: 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos,	Power Consumption	Peak: Average 960W, Ready: Average 70W, Sleep: 10W, Deep Sleep: 0.6W, Power Off: 0.04W
	IPsec	Sleep Mode	0-50 min
Wireless Security Protocols	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE(AES), Wi-Fi Direct supports	Toner Save	This reduces the toner usage and helps to reduce the total cost of printer ownership
LDAD	WPA2-PSK (AES) only	Power Save	This enables the printer to consume less energy when not in use
LDAP	Yes	Temperature	Operating: 10 - 32°C, Storage: 0 - 40°C
Active Directory Authentication	Yes	Humidity	Operating: 20 - 80%, Storage: 35 - 85%
IPv4-Filter	Yes	Othors	
Secure Print	Windows/Mac	Others	Cound Dressure Level (Distinct Level 47 104
Secure Function Lock	(Version.3.0) Up to 100 registered users	Noise Level	Sound Pressure Level: (Printing) Less than 47 dBA, (Ready) InAudible Sound Power Level: (Printing) Less than 6.41B(A), (Ready) InAudible
Options		TEC Value	0.41 kWh/Week
Optional Warranty ¹⁴	1 or 2 or 3 Years On-Site		

- Download from Brother Solutions Centre
- Apply to activate Via Airprint or iPrint&Scan
- Windows only Windows/Mac

- Windows/Mac
 Capacity calculated with 80g/m² paper
 Must be connected to the internet
 The recommended monthly print volume is to achieve the best possible performance and printer life
 Print speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
 FPOT (First Print Out Time) based on ISO/IEC 17629
 Scan speeds based on ISO/IEC 17629
 Scan speeds based on ISO/IEC 17991
 Purchase optional onsite warranty required









youtube.com/user/BrotherAU/videos



linkedin.com/company/ brother-international-australia/



All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, $\operatorname{\operatorname{act}}$ respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.



