



All-In-One Monochrome Laser Printer

MFC-L6700DW











PRINT

COPY

SCAN

FΔY

WIRELESS

All-In-One Monochrome Laser Printer

The professional all-in-one performer is here



Key Features:

- Super-fast print speeds of up to 46 ppm
- Super-fast scan speeds of up to 56 ipm
- Combined paper input of 570 sheets
- Automatic 2-sided printing
- High-yield replacement cartridges Optional ultra high-yield 12,0001 page toner cartridge
- Intuitive 12.3cm touchscreen LCD display
- High speed wired (10Base-T/100 Base-TX/1000 Base-T) and wireless (IEEE 802.11b/g/n) network interfaces
- Wi-Fi Direct™



Maximise Performance

- Significantly increase your workgroup productivity thanks to super-fast print and scan speeds of 46 ppm / 56 ipm
- Maximise performance with high speed wired (10Base-T/100Base-TX/1000Base-T) and wireless (IEEE 802.11b/g/n) network interfaces
- Business users can easily print from and scan to mobile devices
- The incredible easy to use 12.3cm touchscreen user interface allows users to customise their screens
- Improved productivity with scanning of up to 28 ppm and up to 56 ipm when scanning 2-sided (Mono)

Complete piece of mind - reliability

- New build technology gives complete reliability enabling you to print up to 5,000 pages per month
- 70-page Automatic Document Feeder (ADF) and high-speed scanning for seamless document management
- Outstanding paper handling options with a standard paper capacity of 570 expandable to 1,610

Exceptionally Low Running Costs

Designed for demanding high volume print environments the MFC-L6700DW includes a 3,000¹ page high-yield toner cartridge and can take an optional 12,000¹ page toner cartridge to lower your running costs even further

Meeting Your IT Challenges

• Modern businesses demand the highest levels of security. With Secure Function Lock 3.0, Active directory connectivity and Internet Protocol Security (IPsec). Plus, the range features Print Archive, Secure Reset and Certificate Management

Electrophotographic Laser Printer
Class 1 Laser Product (IEC60825-1:2007)
Cortex-A9 800MHz
512MB
Hi-Speed USB 2.0
10Base-T/100Base-TX/1000Base-T
12.3cm Colour Touchscreen
48
Up to 46 ppm (pages per minute)
Up to 24 sides per minute (12 sheets per minute)
(12 dilecto per rimitato)

 Quiet Mode
 A mode to reduce the printing noise by reducing the print speed to 35 ppm

 Automatic 2-Sided Printing
 Print on to both sides of the paper

 FPOT (First Print Out Time)
 Less than 7.5 seconds from ready mode

Warm Up Time Less than 4.7 seconds from sleep mode

PCL6, BR-Script3 (PostScript®3™ Language Emulation), IBM Proprinter XL, Epson FX-850 PDF version1.7, XPS version 1.0

66 scalable fonts, 12 bitmap fonts, 13 barcodes 66 scalable fonts

Code39, Interleaved 2 of 5, FIM (US-PostNet), Post Net (US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN (EAN), ISBN (UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C)

Print Languages

Embedded Fonts (PCL)

Embedded Fonts (Postscript)

Embedded Barcodes (PCL)

		2-sided Scan Speed Mono	56 ipm (images per minute)
Printer Functions		Scan Speed Colour	20 ipm (images per minute)
N-up Printing ³	Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one	2-sided Scan Speed Colour Scan Resolution from ADF	34 ipm (images per minute) Up to 600 x 600dpi
	A4 page (Mac, up to 2, 4, 6, 9, or 16)	Scan Resolution from	Up to 1,200 x 1,200dpi
Poster Printing ⁴	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages	Scanner Glass Interpolated Scan Resolution	Up to 19,200 x 19,200dpi
Watermark Printing ⁴	Watermark your documents with predefined text or with	·	
ID Printing ⁴	your own user-defined messages Add identification to your printed documents (date &	Colour Depth Grey Scale	16,777,216 colour variations (24 bit) 256 shades of grey (8 bit)
· ·	time, short custom message or PC username)	Standard Functions ⁹	Scan to USB, E-mail, OCR, Image & File
Manual 2-Sided Print ⁴	Manual 2-sided printing	Network Scanning	Scan to network folder (Windows® only), FTP, SFTP, Email Server, SharePoint & Easy Scan to Email®
	(recommended for media not supported by automatic 2-sided print)	Cloud Scanning ⁶	Scan direct to Evernote™, Box, Dropbox, Google Drive™, OneDrive, OneNote
Booklet Printing ⁴	Print documents in A5 booklet format using automatic or manual 2-sided print	Scan Features	Remove Background, Skip Blank Page, ID Scan4, 1 to 2
Skip Blank Page ⁴	Ignores any blank pages in your documents by not	Scan To Microsoft Office ⁶	Scan ⁴ , Auto Deskew from ADF, Split PDF Scan to Microsoft® Word, Microsoft® Excel & Microsoft®
Print Profiles ³	printing them Store your favourite driver settings as profiles to easily	Scan to Searchable PDF	PowerPoint Scan documents to searchable PDF files
Print Text In Black ⁴	recall them Converts all colour text in your documents to solid black	Scan to Sharepoint (Local infra-	Scan documents directly into SharePoint
	when printed	structure only)	
Print Archive⁴	An electronic carbon copy feature that saves an electronic copy of all printed documents as a PDF file	Scanner Driver	
Carbon Copy⁴	Prints additional copies of the same document to paper taken from additional paper trays	Windows®	TWAIN, ISIS ⁵ & WIA Windows 11®, Windows® 10 (32 & 64 bit editions),
			Windows® 8 (32 & 64 bit editions), Windows® 7 (32 & 64 bit editions),
Printer Driver			Windows Vista® (32 & 64 bit editions),
Windows®	Windows 11°, Windows° 10 (32&64bit), Windows° 8/8.1 (32&64bit), Windows° 7 (32&64bit), Vista		Windows® XP Professional (32 & 64 bit editions) Windows® XP Home
	(32&64bit), XP Home, XP Professional (32&64bit), Windows® Server 2019, Windows® Server 2016,	Macintosh ⁵	(ISIS driver not supported by Windows XP) TWAIN & ICA
	Windows® Server 2012/R2 (64bit), Windows® Server		OS X 10.8.5, 10.9.x, 10.10.x, 10.11.x
	2008 (32&64bit), Windows® Server 2008 R2, Windows® Server 2003 (32&64bit)	Linux ⁵	SANE (32 & 64 bit editions)
Macintosh ⁵ Linux ⁵	Mac OS X 10.8.5 - 10.15, macOS 11 ³ CUPS, LPD/LPRng (32 & 64 bit editions)	Сору	
PostScript Universal	Driver for Windows® that enables you to print to any	Speed - (A4) Automatic 2-Sided Copy	Up to 46 cpm (copies per minute) Yes
Printer Driver	network or locally-connected Brother laser printer that supports PostScript	FCOT (First Copy Time Out)	Less than 10.5 seconds from ready mode
PCL Driver	Universal PCL5e generic driver	Resolution Multi-Copying/Stack/Sort	Up to 1,200 x 600dpi Makes up to 99 copies of each page / Stacks or Sorts
USB Host		Enlargement/Reduction Ratio	Reduce or Increase document sizes from 25% to 400% in 1% increments
Direct Print	Print directly from a USB flash memory drive. The	N in 1 Copying	Allows the user to compress 2 or 4 pages on to a single
	supported file formats include: PDF version1.7, JPEG, Exif+JPEG, PRN	2in1 ID Copying	A4 sheet Allows the user to copy both sides of an
	(created by own printer driver), TIFF (scanned by Brother model), XPS version 1.0	Grey Scale	ID card to a single A4 sheet 256 shades of grey (8 bit)
		Receipt Copying	Produces clearer copies of receipts
USB Input Port	Rear USB port for use with an external card reader	Enlarge Text Copy ⁶	Makes reading copied documents easier if the size of the text on the original document is small
Direct Scan	Scan directly to a USB flash memory drive. The supported file formats include: PDF, PDF/A, Secure PDF,	F1 1 M	
	Signed PDF, JPEG, XPS, TIFF	Fleet Management Tools Unattended Installer4	Ability to centrally deploy and customise our drivers and
Address Book	74 0,	MOLINATION	software
Speed Dials	300 locations for E-mail addresses and	MSI Installer⁴	Modular installers that can be distributed through Active Directory®
·	fax numbers	Embedded Web Server	Web based print management software embedded onto the device
Group Dial	A combination of up to 20 groups can be stored for broadcasting	BRAdmin Professional 4485	LAN/WAN management software
LDAP	The ability to connect to an external LDAP enabled address book, like Microsoft® Exchange	Driver Deployment Wizard ⁴	Easily create print drivers for hassle free deployment over your network
Mobile/Web Based		Network & Security	
Printing & Scanning		Wired Network	Built in Ethernet 10Base-T/100Base-TX/1000Base-T
Brother iPrint&Scan (Android)	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine	Wireless Network Wi-Fi Direct™	IEEE 802.11b/g/n (Infrastructure Mode / Adhoc Mode) Print wirelessly without having to go through a wireless
	status from an Android device		access point (both automatic and manual methods supported)
Brother iPrint&Scan (iPad / iPhone / iPod)	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an	Wireless Set-Up Support	Wi-Fi Protected Setup (WPS)
Brother iPrint&Scan	iPad / iPhone / iPod Touch Print from and scan to a smart phone	Wireless Applications Network Protocols	Vertical Pairing TCP/IP (IPv4 and IPv6)
(Windows® Phone) Brother Print&Scan	running the Windows® Phone Operating System Print from and scan to a Windows® 8 or Windows RT	IPv4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP),
(Windows® 8 & RT)	Tablet		WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD,
AirPrint	Print most common file types from any AirPrint enabled application		Custom Raw Port/Port9100, POP3, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS
Mopria	Print most common file types from Mopria supported Android devices		Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server,
Android Print Service Plugin	Print from Android devices without a dedicated App		ICMP, Web Services (Print/Scan), SNTP Client, LDAP, IMAP4
Evernote ^{TM6}	Print from and scan to Evernote™ without using a PC	IPv6 (Off by Default)	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/
Box ⁶ Dropbox ⁶	Print from and scan to Box without using a PC Print from and scan to Dropbox without using a PC		Port9100, IPP/IPPS, POP3, SMTP Client,
Google Drive™6	Print from and scan to Google Drive™ without using		FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c, HTTP/HTTPS server,
OneDrive ⁶	a PC Print from and scan to Microsoft® OneDrive without		TFTP client and server, ICMPv6, SNTP Client, LDAP, Web Services (Print/Scan),
OneNote ⁶	using a PC Scan to Microsoft® OneNote without using a PC	Wired Network Security	IMAP4 APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS,
Creative Centre ⁶	Download and print Brother Creative Center		SMTP, POP3, IMAP4), SNMP v3, Kerberos, IPsec, 802.1x (EAP-MD5, EAP-FAST, PEAP,
Scan	content		EAP-TLS, EAP-TTLS)
Scanner Type	Dual CIS (Contact Image Sensor)	Wireless Network Security	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES), APOP, SMTP-AUTH, SSL/
Automatic 2-Sided Scan Colour & Mono Scanning	Yes Yes		TLS (IPPS, HTTPS, SMTP, POP3, IMAP4), SNMP v3, Kerberos, IPsec, 802.1x (LEAP,
Scan Speed Mono	2 ipm (images per minute)		EAP-FAST, PEAP, EAP-TLS, EAP-TTLS)

Print Log to Network⁴ Records printing activities from each Fax individual user, including network username, name of document printed and number of pages, to a file on a Fax Modem 33,600bps (Super G3) **Automatic 2-Sided Faxing** F-mail Notifications Automatically have the device send e-mail alerts when Internet Fax (iFax) Fax documents anywhere in the world over the Internet it requires attention, such as when the toner is low or without the use of a telephone line needs replacing Fax to Server Sends faxes to a server E-mail Reports Receive usage reports on a regular basis PC Fax Send983 Send faxes directly from your PC via e-mail PC Fax Receive984 Receive faxes directly to your PC IP Filter Restrict which network users can or cannot access the **Automatic Redial** Automatic redialling if the recipient fax is busy device over the network Telephone Index An electronic, alphabetical listing of stored speed dials (IPv4 only) and group numbers Secure Function Lock 3.0 Restrict activity to individual or groups of users over a Chain Dialling Allows the user to store parts for long dialling sequencnetwork. Can be used with PC User Login Name for up es in different speed dial locations Distinctive Ring Detection An external service that allows two or more telephone Active Directory Retrieve stored print jobs & control access to the (Telstra Duet) numbers shared on a single fixed line and use different Authentication devices functionality by using credentials from Active ring tones Directory Speaker / Ring Volume 3 levels and off LDAP Authentication Retrieve stored print jobs & control access to the Fax / Tel Switch Automatic recognition of fax and telephone reception devices functionality using credentials from an LDAP Super Fine Enables quality transmission of very small print and line supported database drawings Setting Lock Secures access to the devices control panel by locking Auto / light / dark Contrast Secure Print³ Protect print jobs with a 4 digit release code required at **Enhanced Remote Activate** Transfer a fax call, answered on an extension phone, to the device in order for them to be printed the fax machine Up to 50 **Delayed Timer Standard Paper Handling** Quick-Scan Approximately 2.5 seconds per page A4 standard Lower Tray - 520 sheets resolution Paper Input² Multi Purpose Tray - 50 sheets Memory Transmission Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) Automatic Document Feeder (ADF) -80 sheets **Out of Paper Reception** Up to 500 pages (ITU-T Test Chart, Standard Resolu-Paper Output² Face Down - 250 sheets tion, JBIG) Face Up (Straight Paper Path) - 10 sheets Allows the operator to perform 2 different tasks on the **Dual Access** machine at the same time **Media Specification** Send the same fax message to up to 350 separate Broadcasting Standard & Optional Trays -plain, recycled, coloured and Media Types & Weights⁸ locations (manual 50 locations) **Batch Transmission** Stores documents for the same location in the maletterhead paper (between 60 - 120g/m²) Multi Purpose Tray chines memory for transmission in a single call Auto Reduction When receiving a single page document longer than A4 plain, recycled, bond, coloured and (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet letterhead paper (between 60 - 200g/m²) Automatic Document Feeder (ADF) - plain & recycled The MFC will detect line errors during fax transmission ECM (Error Correction Mode) paper (between 64 - 90g/m²) 2-sided Print - plain, recycled, coloured and letterhead and resend the page(s) of the document that had an error (recipient paper (between 60 - 105g/m²) machines must share this feature for it Yes, from the Multi Purpose Tray: support for 10 envelopes up to 10mm total thickness **Envelope & Label Printing** to work) Fax Forwarding Sends a fax received in memory to another pre-pro-Media Sizes Standard Trav grammed fax number A4, Letter, A5, A5(Long Edge), A6, Executive, Legal, Remote Access Allows users to remotely access their machine Folio, Mexico Legal, India Legal Fax Retrieval Allows remote access to faxes stored in the machine Optional Tray -A4, Letter, A5, Executive, Legal, Folio, Mexico Legal, India Legal Remote Maintenance Allows users to maintain their MFC remotely Remote Set-Up3 Allows users to set-up the MFC from their PC Multi Purpose (MP) Tray - Width: 76.2mm to 215.9mm x Length: 127mm to 355.6mm Automatic Document Feeder (ADF) -**Grey Scale** 256 shades (8 bit) of grey are available for faxing Fax Preview Preview received faxes on the screen Width: 105mm to 215.9mm x Length: 147.3mm to Fax Stamp Add the date and time to all received faxes 355.6mm 2-sided Print - A4 **Cover Page** Create custom cover pages for outgoing faxes **Optional Paper Handling Environment** 250 sheet tray (LT-5500) 520 sheet tray (LT-6500) Paper Input² Copying - 745W (390W in quiet mode), Power Consumption Ready - 34W, Sleep - 8W, Maximum of 2 optional trays (LT-6500 & Deep sleep - 1.6W, Off - 0.04W LT-5500 can be used together) Printing - 54dbA, Sound Pressure Level Quiet mode printing - 53dbA, Paper Input / Output Ready - Up to 35dbA Sensors Sound Power Level Printing - 6.73BA, Onscreen & optional email alerts notifying you when any Input Quiet mode printing -7.65BA, of the paper input trays are nearly empty or empty Ready - Up to 4.8BA Onscreen & optional email alerts notifying you when any Output This enables the printer to consume less energy when **Power Saving** of the paper output trays are full not in use Toner Saving This reduces the toner usage and helps to reduce the **Supplies** total cost of printer ownership Inbox Toner 3.000 pages Standard Yield Toner 3,000 pages1 (TN-3420) **Developers** High Yield Tone 8,000 pages1 (TN-3440) Super High Yield Toner 12,000 pages1 (TN-3470) **Brother Solutions** Create powerful cloud and on premise solutions directly integrating the advanced print, scan Drum (DR-3425) Interface (BSI) 50,000 pages at 3 pages per job and security capabilities of 30,000 pages at 1 page per job Brother scanners, printers and all in ones. Lower Tray (LT-5500) 250 sheet optional paper input tray Lower Tray (LT-6500) 520 sheet optional paper input tray Carton Contents Toner cartridge, drum, power supply cord, fax line cord, All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. driver software for Windows®, Quick Set-Up Guide (PC interface cable NOT included) Brand product names are registered trademarks or trademarks of their respective companies. The frequency of replacement consumables will vary depending on the 1 Approx declared vield value in accordance with 7 Maximum number of printed pages per month can complexity of the prints, the percentage of coverage, paper size, page per job, and the type of far exceeds your print requirements.

8 It is recommended to use the straight paper **Dimensions & Weights** 5 Optional free download from the Brother Solutions Centre http://support.brother.com 6 Must be web connected. With Carton (WxDxH) 599 x 526 x 659mm 22.1 Kg

- be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that
- output path and the quiet mode feature with paper weights over 105g/m².

 9 Requires Brother Software.



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth. www.brotherearth.com









Mac

Without Carton (WxDxH)

Recommended Monthly

Duty Cycles

Maximum Monthly7

495 x 427 x 518mm 17 Kg without consumables

Up to 5,000 pages monthly print volume

Up to 100,000 pages monthly print volume