



Professional Compact Colour Laser Printer

MFC-L8390CDW











www.brother.com.au

Compact Design, Expertly Engineered

Combining professional performance with fast print speeds, minimal maintenance, and long-lasting supplies. The compact, whisper-quiet MFC-L8390CDW has been expertly engineered to meet the needs of your office with ease.

MFC-L8390CDW



Key features:

- Fast print speed of up to 30 pages per minute⁹
- Large paper capacity of 250 sheets, plus expandable up to 500 sheets with additional optional trays⁶
- Automatic 2-sided (duplex) printing and scanning
- 50 sheet 2-sided (duplex) Auto Document Feeder (ADF)⁶
- Easy to use 8.8cm colour LCD touchscreen
- Gigabit ethernet, 2.4GHz/5GHz Wi-Fi and USB 2.0 connectivity
- NFC for secure authentication
- Print or scan directly from desktop, USB or mobile app
- 512MB internal memory
- Up to 2,600 black and 1,400 colour pages in-box toners¹¹
- Super high-yield replacement toners available, up to 4,500 black and 4,000 colour pages¹¹



Compact & Expertly Engineered

Designed by experts, our most compact, professional colour laser printer delivers high-quality outputs every time, allowing you to make the most of your office space. Every component has been optimised to reduce the overall size of the device without compromising on performance. With easy paper access and the ability to add an optional paper tray for additional flexibility, this device has been developed for high print volume to meet the needs of a busy office.



Quiet Without Compromise

With its streamlined design, the MFC-L8390CDW is engineered to print quietly whilst delivering speeds up to 25% faster than the previous generation, so you can print continuously without distraction and focus on your work.



Solutions-ready

Automate workflows and improve business processes and security with print management solutions. A suite of document management, security and workflow solutions can be added to the MFC-L8390CDW to provide additional professional features to further improve your business processes.



Seamless Integration

As a Brother customer, you'll have access to a wide choice of leading software vendors, including PaperCut, Kofax and YSoft, to create tailored solutions for your specific requirements that ensure your MFC-L8390CDW works even harder to meet your needs.



Brother MPS Makes Printing Easy

Managed Print Services (MPS) supports you to get the best out of your devices - that's why the MFC-L8390CDW has been designed with MPS in mind. Whatever your printing needs, we'll be at your side to find the solution that simplifies printer admin, saves time, keeps costs down, and helps you stay productive, by partnering with our national MPS partner network to deliver a service that's fit for your business.



Secure by Design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to protect your data. The MFC-L8390CDW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



Designed to go the Distance

Built to perform for longer, the MFC-L8390CDW is designed with you in mind. Made from robust and hard-wearing materials and supported by outstanding service as standard, Brother's award-winning reliability allows you to deliver uncompromised performance at all times.



Brother *At Your Side* Support

Wherever you are in Australia, Brother offers <u>free product</u> <u>support</u> for the lifetime of your product.

General		Reduction-Enlargement Ratio	25 - 400 percent in 1 percent increments
Engine	Colour LED	Copier N-in-1	2 in 1 & 4 in 1 (A4/LTR Mono/Colour)
Carton Contents	Printer, Quick Setup Guide, Power Cord, Colour Toner	Copier Multi Sort	Yes
	Yield Up to 1,400 pages11, Black Toner Yield Up to	Copier Multi Stack	Up to 999 copies
	2,600 pages11, Belt Unit: Up to 60,000 pages (3-page per job)(BU229CL), Waste Toner Box: Up to 50,000	Security	
	pages (WT229CL), Drum Unit: Up to 20,000 pages	Wired Security	eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP),
Display	(1-page per job) (DR258CL)	Whou documy	SNMP v3 Authentication Protocol: 802.1x (EAP-MD5, EAP-
LCD Display	8.8cm Colour LCD (7.3 x 6.9cm Touchscreen)		FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec
Shortcuts	48	Wireless Security	eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP), SNMP v3
Printer			Authentication Protocol: 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec
Standard Memory	512 MB	Wireless Security Protocols	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK
Print Speed ⁹	Up to 30 ppm Mono / Up to 30 ppm Colour	,	(TKIP/AES), WPA3-SAE(AES), Wi-Fi Direct supports WPA2-PSK (AES) only
2-sided print ⁹	Yes (Automatic)	LDAP	Yes
2-sided print speed	Up to 12/12ipm or 6/6ppm (Mono/Colour, based on ISO/IEC 24734)	Active Directory Authentification	Yes
Emulation	PCL6, BR-Script3	IPv4-Filter	Yes
Printer Resolution	600 x 600 dpi, 2400 dpi (2400 x 600) quality	Secure Print	Windows/Mac
First Print Out Time ¹⁰	Less than 12.5 secs Mono/Colour (From Ready mode	Secure Function Lock	Version 3, 100 users
First Print Out Time.	and standard tray), Less than 30 secs Mono/Colour (From Sleep mode and standard tray)	Network Management Utilit	ies
Warm-up Time	Less than 24 sec from Sleep, Less than 28 sec from	Network Management	Windows: BRAdmin Light, Web Base Management, BRAdmin Professional. Network Remote Setup
	Power On		Mac: Web Base Management, Network Remote Setup Linux: Web Base Management
Resident Barcodes	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E.	Web Dood Monoroment	Yes
	Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93,	Web Based Management	
	GS1Databar, MSI	BRAdmin Professional ¹ Email Alerts	For LAN / WAN management using Windows® PC
Resident Fonts	PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes		E-mail Notification and E-mail Reports
Quiet Mode	PS: 66 scalable fonts A mode to reduce the printing noise by reducing the	Mobile/Web Printing Mobile Connect ¹	Use Brother Mobile Connect to print as well as manage
Recommended Monthly Print	print speed 300 to 4,000 pages	Web Connect ⁷	your machine and customise its features. Scan To/Download and Print from: Google Drive,
Volume Direct Print/Scan Feature			Dropbox, OneDrive, Box, OneNote Scan To: Evernote Print from: Creative Centre
Digital-Media Type	USB Flash Memory	AirPrint	Print most common file types from any Apple AirPrint
Digital-Media Spec	USB Flash Memory (FAT, FAT32, exFAT)	AllFillit	enabled application
Digital-Media Format	Print: PDF version 1.7, JPEG, Exif+JPEG, PRN(created	Mopria ¹	Print most common file types from Mopria™ supported
Digital Modia Format	by own printer driver), TIFF(scanned by Brother model), XPS version 1.0, Scan to USB: JPEG/PDF	Google ChromeOS	Android devices Print, Scan
Direct USB	Print/Scan	Android Print Service Plugin ¹	Print directly from your Android devices (Android 5.0 or
Connectivity			later), to your Brother printer through a Wi-Fi or Wired network
Interface	Hi-Speed USB 2.0, 10Base-T/100Base-TX Ethernet and IEEE 802.11 b/g/n Wireless	Brother Apps ⁷	Office Doc Creator, Easy Scan to Email, Fax Forward to Cloud / Email, Enlarge Text Copy, Scan to Mobile
USB Interface	Hi-Speed USB 2.0	Paper Handling ⁶	
Wired Interface	10Base-T/100Base-TX/1000Base-T Ethernet	Standard Paper Capacity	Up to 250 Sheets
Wireless Interface	2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n	Multi-Purpose Tray Capacity	Up to 30 sheets / 3 Envelopes
Wi-Fi Direct	Vac	Envelopes Input	Up to 3 envelopes face down (MP tray only) output via
USB Host	Yes Direct Print/Coop Estamol IC Coul Boodey (CLI 1000)		rear
NFC	Direct Print/Scan, External IC Card Reader (CH-1000) Card Reader / Mobile iPrint&Scan / Link to Solutions	Output Paper Capacity	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path)
0	Centre / NFC Shortcut	ADF	Up to 50 sheets
Wireless Mode	2.4GHz IEEE 802.11/b/g/n (Infrastructure Mode mode),	Media Weights Paper Tray	60 - 163 gsm
Wireless Catus Cupport Hility	5GHz IEEE 802.11/a/n (Infrastructure Mode mode)	Media Weights Paper Tray (Option)	60 - 105 gsm
Wireless Setup Support Utility Network Protocols IPV4	Wi-Fi Protected Setup (WPS)	Media Weights Manual Feed Slot	60 - 163 gsm
Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS,	Media Weights ADF	60 - 105 gsm
	LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, POP3, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web	Media Weights Duplex	60 - 105 gsm
		Media Size Paper Tray	A4, Letter, Legal, Mexico Legal, India Legal, Executive,
Natural Protocols IDVC	Services (Print/Scan), SNTP Client, LDAP, IMAP4, Syslog NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, POP3, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, LDAP,	modia oizo i apei iray	A5, A5 Long Edge, A6, B5(JIS), B5(ISO), B6(JIS), A4 Short(270mm), Folio, 16K(195x270mm)
Network Protocols IPV6		Media Size Paper Tray (Option)	A4, Letter, B5(JIS), A5, Executive, Legal, Mexico Legal, India Legal, A4 Short (270mm Paper), Folio, 16K(195x270mm)
Digital Caniar	Web Services (Print/Scan), IMAP4, Syslog	Media Size Manual Feed Slot	Width 76.2 to 216 mm, Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch
Digital Copier Copier Speed ⁹	Up to 30 cpm Mono / Up to 30 cpm Colour	Media Size ADF	Width 105 to 215.9 mm, Length 147.3 to 355.6 mm
		Media Size Duplex	A4
First Copy Out Time	Less than 13.5/14.5 secs (Mono/Colour) from Ready mode, Less than 30/30 secs (Mono/Colour) from Sleep	Media Types Paper Tray	Plain Paper, Thin Paper, Thick Paper, Recycled Paper
O Sided Committee	mode	Media Types Paper Tray (Option)	Plain Paper, Thin Paper, Recycled Paper
2-Sided Copy	Duplex Scan to Duplex Print	Professi Media Types Manual Feed Slot onal	Plain Paper, Thin Paper, Thick Paper, Recycled Paper, Bond, Label, Envelope, Envelope Thin, Envelope Thick,
Copier Resolution	600 x 600 dpi	SIOL OHAI	Glossy Paper

Media Types ADF	Plain Paper, Thin Paper, Recycled Paper	Mass Deployment Tool	Windows only	
Media Types Duplex	Plain Paper, Thin Paper, Recycled Paper	Driver Deployment Wizard	Windows only	
Fax	i an i apoi, i i apoi, i apoi	iPrint&Scan ¹	Windows/Mac	
Modem Speed	33,600bps (Fax)	Universal Print ⁷	Yes	
2 Sided Fax	Send/Receive	Options		
ITU-T Group compatibility	Super G3	Optional Warranty ¹⁴	1 or 2 or 3 Years On-Site	
Telstra Duet Compatible	Yes	Optional Paper Tray	250 sheets (LT-310CL) x 1	
Speed Dials	300 locations	Environment	250 6.150to (E. 0.1502) X :	
ECM	Yes	Power Consumption	Peak: Average 960W, Ready: Average 70W,	
Out of Paper Reception	Up to 500 Pages (ITU-T Test Chart)	1 onor concumption	Sleep: 10W, Deep Sleep: 0.65W, Power Off: 0.04W	
Broadcasting	Up to 350 locations	Sleep Mode	0-50 min	
Automatic Reduction	Yes	Toner Save	This reduces the toner usage and helps to reduce the total cost of printer ownership	
Fax Forwarding	To Fax number or Email Address	Power Save	This enables the printer to consume less energy when	
PC Fax	Send/Receive from Windows, Send only from MAC / Linux (Network / USB)	Consumables	not in use	
Internet Fax	Yes - T37 protocol	Consumables ¹¹	Belt Unit: Up to 60,000 pages (3-page per job)	
Digital Scanner			(BU229CL)	
Scanner Colour/Mono	Colour		Waste Toner Box: Up to 50,000 pages (WT229CL) Drum Unit: Up to 20,000 pages (1-page per job)	
Scanner Colour Depth	48 bit input / 24 bit output colour		(DR258CL)	
Scanning Technology	Dual CIS	Inbox Consumables ¹¹	Colour Toner Yield Up to 1,400 pages ¹¹ Black Toner Yield Up to 2,600 pages ¹¹	
Scanner Speed ¹²	Simplex: Max 1.84/2.39 Sec - 27/21 ipm, Duplex: Max 1.81/3.06 Sec - 56/32 ipm, In accordance with ISO/ IEC17991 (Mono/Colour @200dpi A4)	Standard Yield Toner ¹¹	CMYK Toner Standard Yield (TN258C/TN258M/ TN258Y/TN258BK) Up to 1,000 pages ¹¹	
Scanner Resolution (Optical)	From Glass: Up to 1200 x 1200 dpi, From ADF: Up to	High Yield Toner ¹¹	Black Toner High Yield (TN258XLBK) Up to 3,000	
Direct Scanner Resolution	600 x 600 dpi Up to 19,200 x 19,200 dpi		pages Colour Toner High Yield (TN258XLC/TN258XLM/ TN258XLY) Up to 2,300 pages	
(Interpolated)		Super High Yield Toner ¹¹	Black Toner Super High Yield (TN259BK) Up to 4,500	
2 Sided Scan	Single Pass (Up to A4/LTR from ADF)		pages ¹¹ Colour Toner Super High Yield (TN259C/TN259M/	
Scanning Area	Flatbed: 210(W) x 291(L)mm		TN259Y) Up to 4,000 pages ¹¹	
Scanner Grey Scale	256 levels	Weights & Measures		
Scan to Email Client	Yes	Size	410(W) x 462(D) x 401(H)mm	
Scan to Email Server	Yes	Weight	17.6 Kg without consumables 20.2 Kg with consumables	
Scan to OCR	Yes	Size with Carton	497(W) x 583(D) x 533(H)mm	
Scan to Image	Yes	Weight with Carton	24.9 Kg without consumables	
Scan to File	Yes FTP / SFTP	Other	24.3 Ng Without Consultiables	
Scan to FTP Scan to Media	USB memory drive	Noise Level	Cound Pressure Levels (Printing) Loss than 49 dPA	
Scan to Sharepoint	On premise Server Via PaperPort, Office 365 via Web Connect	Noise Level	Sound Pressure Level: (Printing) Less than 48 dBA, (Ready) InAudible Sound Power Level: (Printing) Less than 6.62 B(A), (Ready) InAudible	
Scan to Network Folder	Windows only	TEC Value	0.48 kWh/Week	
Scan to Cloud	Yes - See Web Connect	120 Value	O. TO KWI II WOOK	
Network Scan	Windows/Mac			
Scanner OS Compatibility	Windows 11, Windows 10 (32&64bit) macOS 11-14 ³ Linux Sane	Disclaimers: 1. Download from Brother Solutions Co	entre	
Twain Compliant	Windows: TWAIN Windows 11 or WIA for Windows10 Linux: SANE	 Apply to activate Via Airprint or iPrint&Scan Windows only 		
Software		 5. Windows/Mac 6. Capacity calculated with 80g/m² pa 	per	
N-up Printing⁵	Windows/Mac	 7. Must be connected to the internet 8. The recommended monthly print volume is to achieve the best possible performance and printer life 9. Print speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed) 10. FPOT (First Print Out Time) based on ISO/IEC 17629 11. Approx. declared yield value in accordance with ISO/IEC 19798 12. Scan speeds based on ISO/IEC 17991 13. Purchase optional tray required 14. Purchase optional onsite warranty required 		
Poster Printing ⁴	Windows only			
Header and Footer Printing ⁴	Windows only			
Watermark Printing ⁴	Windows only			
Booklet Printing	Windows only			
Kofax	AutoStore, ControlSuite, Equitrac	All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their		
Brother Solutions Interface	Yes	of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.		













youtube.com/user/ BrotherAU/videos



linkedin.com/company/ linkedin.com/company/ brother-international-australia/



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where Brother sustainable development can be achieved. We call this approach Brother Earth.



